

18 REFERENCES

- Aguilera, D.R., Jourabchi, P., Spiteri, C. and Regnier, P., 2005. A knowledge-based reactive transport approach for the simulation of biogeochemical dynamics in Earth systems. *Geochemistry, Geophysics, Geosystems*, 6(7).
- Aleynik, D., Inall, M.E., Dale, A. and Vink, A., 2017. Impact of remotely generated eddies on plume dispersion at abyssal mining sites in the Pacific. *Scientific reports*, 7(1), pp.1-14.
- Allseas, 2021. TECHNICAL NOTE. Discharge depth analysis. Document no: EQ-916AB 200-G-R-003 Rev A
- Allseas, 2020. Pilot Collector Test Report. NORI Area D. Clarion Clipperton Zone.
- Alve, Elisabeth, Sergei Korsun, Joachim Schönfeld, Noortje Dijkstra, Elena Golikova, Silvia Hess, Katrine Husum, and Giuliana Panieri. 2015. 'Foram-AMBI: A Sensitivity Index Based on Benthic Foraminiferal Faunas from North-East Atlantic and Arctic Fjords, Continental Shelves and Slopes'. *Marine Micropaleontology* 122 (November).
- AMC Consultants., 2020. NORI Area D Clarion Clipperton Zone Mineral Resource Estimate Deep Green Metals Inc: Technical Report. Report to The Metals Company Metals Inc by AMC Consultants.
- AMC Consultants., 2016. NI 43-101 Technical Report. Report to Nautilus Minerals Inc by AMC Consultants.
- Amon, Diva J., Amanda F. Ziegler, Thomas G. Dahlgren, Adrian G. Glover, Aurélie Goineau, Andrew J. Gooday, Helena Wiklund, and Craig R. Smith. 2016. 'Insights into the Abundance and Diversity of Abyssal Megafauna in a Polymetallic-Nodule Region in the Eastern Clarion-Clipperton Zone'. *Scientific Reports* 6 (1): 30492.
- Amon, Diva, Amanda Ziegler, Jeffrey Drazen, Andrei Grischenko, Astrid Leitner, Dhugal Lindsay, Janet Voight, Mary Wicksten, Craig Young, and Craig Smith. 2017. 'Megafauna of the UKSRL Exploration Contract Area and Eastern Clarion-Clipperton Zone in the Pacific Ocean: Annelida, Arthropoda, Bryozoa, Chordata, Ctenophora, Mollusca'. *Biodiversity Data Journal* 5 (August): e14598.
- Angel, M. V. 2003 The pelagic environment of the open ocean. In *Ecosystems of the World 28, Ecosystems of the Deep Oceans* (ed. by P. A. Tyler), pp. 39-79. Elsevier Science, Amsterdam.
- Angel, M. V. 1993. Biodiversity of the pelagic ocean. *Conservation Biology* 7, 760–772
- Angel, M. V. 1989. Does mesopelagic biology affect the vertical flux?. In *Productivity of the Ocean: Present and Past* (Berger, W. H., Smetacek, V. S. & Wefer, G., eds), pp. 155–173. New York, NY: John Wiley.
- Angel, M. V. & Baker, A. C. 1982. Vertical standing crop of plankton and micronekton at three stations in the North-east Atlantic. *Biological Oceanography*, 2, 1-30.
- Anderson, R.F., 2020. GEOTRACES: Accelerating Research on the Marine Biogeochemical Cycles of Trace Elements and Their Isotopes. *Annual Review of Marine Science* 12 (1), null.
- Anderson, T. J., Nichol, S. L., Syms, C., Przeslawski, R., & Harris, P. T. 2011. Deep-sea bio-physical variables as surrogates for biological assemblages, an example from the Lord Howe Rise. *Deep-Sea Research, II*, 58: 979-991.
- Andrew, N., and Mapstone, B., 1987. Sampling and the description of spatial pattern in marine ecology. In M. Barnes (Ed.), *Oceanography and Marine Biology; Annual Review*, Vol. 25 (pp. 39-90): Aberdeen University Press.

- Ardron, J. A., Simon-Lledó, E., Jones, D. O., & Ruhl, H. A. 2019. Detecting the effects of deep-seabed nodule mining: simulations using megafaunal data from the Clarion-Clipperton Zone. *Frontiers in Marine Science*, 6, 604.
- Auguste, M., Mestre, N.C., Rocha, T.L., Cardoso, C., Cueff-Gauchard, V., Le Bloa, S., Cambon-Bonavita, M.A., Shillito, B., Zbinden, M., Ravaux, J. and Bebianno, M.J., 2016. Development of an ecotoxicological protocol for the deep-sea fauna using the hydrothermal vent shrimp *Rimicaris exoculata*. *Aquatic Toxicology*, 175, pp.277-285.
- Aristegui, J., Agusti, S., Middelburg, J.J. and Duarte, C.M. 2005. Respiration in the mesopelagic and bathypelagic zones of the oceans. In, P.A. del Giorgio and P. le B Williams (eds). *Respiration in aquatic systems*. Oxford University Press. p 181-205
- Barckhausen, U., Bagge, M. and Wilson, D.S., 2013. Seafloor spreading anomalies and crustal ages of the Clarion-Clipperton Zone. *Marine Geophysical Research*, 34(2), pp.79-88.
- Barlow, Jay, Megan C. Ferguson, Elizabeth A. Becker, Jessica V. Redfern, Karin A. Forney, Ignacio L. Vilchis, Paul C. Fiedler, Tim Gerrodette, and Lisa T. Ballance. 2009. 'Final Technical Report: Predictive Modelling of Cetacean Densities in the Eastern Pacific Ocean'. Prepared for the U.S. Department of Defense, Strategic Environmental Research and Development Program By the U.S. Department of Commerce, NOAA Fisheries, Southwest Fisheries Science Center., 227.
- Barnett, M. A. 1984. 'Mesopelagic Fish Zoogeography in the Central Tropical and Subtropical Pacific Ocean: Species Composition and Structure at Representative Locations in Three Ecosystems'. *Marine Biology* 82 (2): 199–208.
- Bell, J. B., Alt, C. H., & Jones, D. O. 2016. Benthic megafauna on steep slopes at the Northern Mid-Atlantic Ridge. *Marine Ecology*, 37(6): 1290-1302.
- Benoist, N.M.A., Bett, B.J., Morris, K.J., Ruhl, H.A., 2019. A generalised volumetric method to estimate the biomass of photographically surveyed benthic megafauna. *Progress in Oceanography*, 178, 102188.
- Berner, R. A. 1981. A new geochemical classification of sedimentary environments. *Journal of Sedimentary Research*, 51(2), 359-365.
- Bertrand, A., Bard, F. & Josse, E. 2002. Tuna food habits related to the micronekton distribution in French Polynesia. *Marine Biology*, 140, 1023-1037.
- BGR. 2018. Environmental Impact Assessment for the testing of collector components in the German license area. Hannover, 15. February 2018
- Bidigare, R.R., Van Heukelem, L., Trees, C.C., 2005. Analysis of algal pigments by high- performance liquid chromatography. *Algal culturing techniques*, 327-345.
- Bik, Holly M, W Kelley Thomas, David H Lunt, and P John D Lamshead. 2010. 'Low Endemism, Continued Deep-Shallow Interchanges, and Evidence for Cosmopolitan Distributions in Free-Living Marine Nematodes (Order Enoplida)'. *BMC Evolutionary Biology* 10 (1): 389.
- Bik, Holly M., Way Sung, Paul De Ley, James G. Baldwin, Jyotsna Sharma, Axayácatl Rocha-Olivares, and W. Kelley Thomas. 2012. 'Metagenetic Community Analysis of Microbial Eukaryotes Illuminates Biogeographic Patterns in Deep-Sea and Shallow Water Sediments: METAGENETIC COMMUNITY ANALYSIS'. *Molecular Ecology* 21 (5): 1048–59.
- Black, A. 2005. Light induced seabird mortality on vessels operating in the Southern Ocean: Incidents and mitigation measures. *Antarct. Sci.* 2005, 17, 67–68.

- Borja, A., Elliott, M., Andersen, J. H., Berg, T., Carstensen, J., Halpern, B. S., ... & RodriguezEzpeleta, N. 2016. Overview of integrative assessment of marine systems: the ecosystem approach in practice. *Frontiers in Marine Science*, 3, 20.
- Borowski, Christian, and Hjalmar Thiel. 1998. 'Deep-Sea Macrofaunal Impacts of a Large-Scale Physical Disturbance Experiment in the Southeast Pacific'. *Deep-sea Research Part II: Topical Studies in Oceanography* 45 (1–3): 55–81.
- Boyd, Philip W., Hervé Claustre, Marina Levy, David A. Siegel, and Thomas Weber. 2019. 'Multi-Faceted Particle Pumps Drive Carbon Sequestration in the Ocean'. *Nature* 568 (7752): 327–35.
- Brill, R., Block, B., Boggs, C., Bigelow, K., Freund, E. & Marcinek, D. 1999. Horizontal movements and depth distribution of large adult yellowfin tuna (*Thunnus albacares*) near the Hawaiian Islands, recorded using ultrasonic telemetry: implications for the physiological ecology of pelagic fishes *Marine Biology*, **133**, 395-408.
- Brill, R., Bigelow, K., Musyl, M., Fritsches, K. & Warrant, E. 2005. Bigeye tuna (*Thunnus obesus*) behavior and physiology and their relevance to stock
- Brown, Alastair, Roseanna Wright, Lisa Mevenkamp, and Chris Hauton. 2017. 'A Comparative Experimental Approach to Ecotoxicology in Shallow-Water and Deep-Sea Holothurians Suggests Similar Behavioural Responses'. *Aquatic Toxicology* 191 (October): 10–16.
- Buckland, S.T., Anderson, D.R., Burnham, K.P., Laake, J.L., Borchers, D.L., Thomas, L., 2001. Introduction to Distance Sampling: Estimating Abundance of Biological Populations. Oxford: Oxford University Press.
- Buhl-Mortensen, L., Vanreusel, A., Gooday, A. J., Levin, L. A., Priede, I. G., Buhl-Mortensen, P., & Raes, M. 2010. Biological structures as a source of habitat heterogeneity and biodiversity on the deep ocean margins. *Marine Ecology*, 31(1) : 21-50
- Bundesanstalt für Geowissenschaften und Rohstoffe BGR. 2019. Federal Institute for Geosciences and Natural Resources. Environmental Impact Assessment. Testing of a pre-prototype manganese nodule collector vehicle in the Eastern German license area (Clarion-Clipperton Zone) in the framework of the European JPI-O MiningImpact 2 research project.
- Bussau, C., Schriever, G., Thiel, H., 1995. Evaluation of abyssal metazoan meiofauna from a manganese nodule area of the eastern South Pacific. *Vie et Milieu/Life & Environment*, 39-48.
- CEAA, 1992. Canadian Environmental Assessment Agency. Reference Guide: Determining Whether a Project is Likely to Cause Significant Adverse Environmental Effects. Québec, Canada, 1992.
- Choy, C. Anela, Brian N. Popp, Cecelia C. S. Hannides, and Jeffrey C. Drazen. 2015. 'Trophic Structure and Food Resources of Epipelagic and Mesopelagic Fishes in the North Pacific Subtropical Gyre Ecosystem Inferred from Nitrogen Isotopic Compositions'. *Limnology and Oceanography* 60 (4): 1156–71.
- Christiansen, Bernd, Anneke Denda, and Sabine Christiansen. 2020. 'Potential Effects of Deep-seabed Mining on Pelagic and Benthopelagic Biota'. *Marine Policy, Environmental governance of deep-seabed mining - scientific insights and food for thought*, 114 (April): 103442.
- Chuar, Cheah Hoay, Samantha Jia Wen Tong, Chee Kong Chim, Helen Pei San Wong, and Koh Siang Tan. 2020. 'Abyssal Macrofaunal Community Structure in the Polymetallic Nodule Exploration Area at the Easternmost Region of the Clarion-Clipperton Fracture Zone, Pacific Ocean'. *Deep-sea Research Part I: Oceanographic Research Papers* 161 (July): 103284.

- Clark, M. R., Rowden, A. A., Schlacher, T., Williams, A., Consalvey, M., Stocks, K. I., Rogers, A. D., O'Hara, T. D., White, M., Shank, T. M., Hall-Spencer, J. M. 2009. The ecology of seamounts: structure, function, and human impacts. *Annual Review of Marine Science*, 2: 253–278.
- Clarke, Thomas A. 1987. 'The Distribution of Vertically Migrating Fishes Across the Central Equatorial Pacific', 36.
- Conley, K.R., Lombard, F., Sutherland, K.R., 2018. Mammoth grazers on the ocean's minuteness: A review of selective feeding using mucous meshes. *Proc. Biol. Sci.* 285, 20180056
- Cook, A. B., Sutton, T. T., Galbraith, J. K. & Vecchione, M. 2013. Deep-pelagic (0-3000 m) fish assemblage structure over the Mid-Atlantic Ridge in the area of the Charlie-Gibbs Fracture Zone. *Deep-Sea Research II*. doi: org/10.1016/j.dsr2.2012.09.003.
- Conrad, O., Bechtel, B., Bock, M., Dietrich, H., Fischer, E., Gerlitz, L., Wehberg, J., Wichmann, V., and Böhner, J. (2015): System for Automated Geoscientific Analyses (SAGA) v. 2.1.4, *Geoscientific Model Development*, 8: 1991-2007.
- Craig R. Smith, Jeff Drazen, Sarah L. Mincks, 2006. Deep-sea Biodiversity and Biogeography: Perspectives from the Abyss. *International Seabed Authority Seamount Biodiversity Symposium*.
- Craig, H., Hayward, T., 1987. Oxygen supersaturation in the ocean-biological versus physical contributions. *Science* 235, 199-202.
- CSA 2020. Nori-D Metocean and Seasonal Studies Environmental Program, Final Campaign 4a Field Survey Report. Report prepared by CSA Ocean Sciences Inc for Nauru Ocean Resources Inc., 153 pp.
- Cuvelier, D., Ribeiro, P. A., Ramalho, S. P., Kersken, D., Martinez Arbizu, P., & Colaço, A. 2020. Are seamounts refuge areas for fauna from polymetallic nodule fields? *Biogeosciences*, 17(9) : 2657-2680.
- Cutter, G.A., Bruland, K.W., 2012. Rapid and noncontaminating sampling system for trace elements in global ocean surveys. *Limnology and Oceanography: Methods* 10 (6), 425-436.
- Dagorn, L., Holland, K.N., Hallier, J.P., Taquet, M., Moreno, G., Sancho, G., Itano, D.G., Aumeeruddy, R., Girard, C., Million, J. and Fonteneau, A., 2006. Deep diving behavior observed in yellowfin tuna (*Thunnus albacares*). *Aquatic Living Resources*, 19(1), pp.85-88.
- Danovaro, R., Gambi, C., Dell'Anno, A., Corinaldesi, C., Fraschetti, S., Vanreusel, A., Vincx, M. and Gooday, A.J., 2008. Exponential decline of deep-sea ecosystem functioning linked to benthic biodiversity loss. *Current Biology*, 18(1), pp.1-8.
- Dauwe, B., & Middelburg, J. J. 1998. Amino acids and hexosamines as indicators of organic matter degradation state in North Sea sediments. *Limnology and Oceanography*, 43(5), 782-798.
- Davies, T.W.; Coleman, M.; Griffith, K.M.; Jenkins, S.R. 2015. Night-time lighting alters the composition of marine epifaunal communities. *Biol. Lett.* 2015, 11, 20150080.
- Davies, T.W.; Duffy, J.P.; Bennie, J.; Gaston, K.J. 2014. The nature, extent, and ecological implications of marine light pollution. *Front. Ecol. Environ.* 2014, 12, 347–355.
- Davies, T.W.; Duffy, J.P.; Bennie, J.; Gaston, K.J. 2016. Stemming the tide of light pollution encroaching into marine protected areas. *Conserv. Lett.* 2016, 9, 164–171.
- De Forest, Lisa, and Jeffrey Drazen. 2009. 'The Influence of a Hawaiian Seamount on Mesopelagic Micronekton'. *Deep-sea Research Part I: Oceanographic Research Papers* 56 (2): 232–50.

- De Smet, Bart, Erik Simon-Lledó, Lisa Mevenkamp, Ellen Pape, Francesca Pasotti, Daniel O.B. Jones, and Ann Vanreusel. 2021. 'The Megafauna Community from an Abyssal Area of Interest for Mining of Polymetallic Nodules'. *Deep-sea Research Part I: Oceanographic Research Papers* 172 (June): 103530.
- De Smet, Bart, Ellen Pape, Torben Riehl, Paulo Bonifácio, Liesbet Colson, and Ann Vanreusel. 2017. 'The Community Structure of Deep-Sea Macrofauna Associated with Polymetallic Nodules in the Eastern Part of the Clarion-Clipperton Fracture Zone'. *Frontiers in Marine Science* 4 (April).
- Dee, D.P., Uppala, S.M., Simmons, A.J., Berrisford, P., Poli, P., Kobayashi, S., Andrae, U., Balmaseda, M.A., Balsamo, G., Bauer, D.P. and Bechtold, P., 2011. The ERA-Interim reanalysis: Configuration and performance of the data assimilation system. *Quarterly Journal of the royal meteorological society*, 137(656), pp.553-597.
- Demidova, T.A., Sokov, A.V. and Belyaev, A.M., 1993. The bottom currents in the area of abyssal hills in the north-east tropical Pacific Ocean. *Physical Oceanography*, 4(1), pp.53-61.
- DHI. 2021. NORI-D Pilot Collector Test Sediment Plume Modelling - Draft Report. Prepared for CSA Ocean Science Inc. Project number 41804716-01. Approval date 2021/04/05.
- Dong, Yi, Jinhua Li, Wuchang Zhang, Wenyan Zhang, Yuan Zhao, Tian Xiao, Long-Fei Wu, and Hongmiao Pan. 2016. 'The Detection of Magnetotactic Bacteria in Deep-sea Sediments from the East Pacific Manganese Nodule Province'. *Environmental Microbiology Reports* 8 (2): 239–49.
- Drazen, J.C., Smith, C.R., Gjerde, K.M., Haddock, S.H., Carter, G.S., Choy, C.A., Clark, M.R., Dutrieux, P., Goetze, E., Hauton, C. and Hatta, M., 2020. Opinion: Mid-water ecosystems must be considered when evaluating environmental risks of deep-sea mining. *Proceedings of the National Academy of Sciences*, 117(30), pp.17455-17460.
- Drazen, Jeffrey C., Craig R. Smith, Kristina M. Gjerde, Steven H. D. Haddock, Glenn S. Carter, C. Anela Choy, Malcolm R. Clark, *et al.* 2020. 'Opinion: Mid-water Ecosystems Must Be Considered When Evaluating Environmental Risks of Deep-Sea Mining'. *Proceedings of the National Academy of Sciences* 117 (30): 17455–60.
- Drazen, Jeffrey, Craig Smith, Kristina Gjerde, Whitlow Au, Jesse Black, Glenn Carter, Malcolm Clark, *et al.* 2019. 'Report of the Workshop Evaluating the Nature of Mid-water Mining Plumes and Their Potential Effects on Mid-water Ecosystems'. *Research Ideas and Outcomes* 5 (February): e33527.
- Drazen, Jeffrey C., Astrid B. Leitner, Sage Morningstar, Yann Marcon, Jens Greinert, and Autun Purser. 2019. 'Observations of Deep-Sea Fishes and Mobile Scavengers from the Abyssal DISCOL Experimental Mining Area'. *Biogeosciences* 16 (16): 3133–46.
- Drazen, J.C., Sutton, T.T., 2017. Dining in the deep: The feeding ecology of deep-sea fishes. *Annual Reviews in Marine Science* 9, 337-366.
- Drazen, Jeffrey C., and Tracey T. Sutton. 2017. 'Dining in the Deep: The Feeding Ecology of Deep-Sea Fishes'. *Annual Review of Marine Science* 9 (1): 337–66.
- Drazen, Jeffrey C., Lisa G. De Forest, and Reka Domokos. 2011. 'Micronekton Abundance and Biomass in Hawaiian Waters as Influenced by Seamounts, Eddies, and the Moon'. *Deep-sea Research Part I: Oceanographic Research Papers* 58 (5): 557–66.
- Duarte, Carlos M., Lucille Chapuis, Shaun P. Collin, Daniel P. Costa, Reny P. Devassy, Victor M. Eguiluz, Christine Erbe, *et al.* 2021. 'The Soundscape of the Anthropocene Ocean'. *Science* 371 (6529).

- Dunson, W.A. and Travis, J., 1991. The role of abiotic factors in community organization. *The American Naturalist*, 138(5), pp.1067-1091.
- Durden, J. M., Bett, B. J., & Ruhl, H. A. 2020. Subtle variation in abyssal terrain induces significant change in benthic megafaunal abundance, diversity, and community structure. *Progress in Oceanography*, 186: 102395.
- Durden, J.M., Bett, B.J., Huffard, C.L., Ruhl, H.A., Smith, K.L., 2019. Abyssal deposit-feeding rates consistent with the metabolic theory of ecology. *Ecology*, 100, e02564.
- Durden, J.M., Bett, B.J., Horton, T., Serpell-Stephens, A., Morris, K.J., Billett, D.S., 2016. Improving the estimation of deep-sea megabenthos biomass: dimension to wet weight conversions for abyssal invertebrates. *Marine Ecology Progress Series*, 552, 71-79.
- Durden, J. M., Bett, B. J., Jones, D. O., Huvenne, V. A., & Ruhl, H. A. 2015. Abyssal hills—hidden source of increased habitat heterogeneity, benthic megafaunal biomass and diversity in the deep-sea. *Progress in Oceanography*, 137: 209-218. NORI-D Habitat Mapping Project: Final Report 23.
- Erbe, Christine, Rebecca Dunlop, K. Curt S. Jenner, Micheline-N. M. Jenner, Robert D. McCauley, Iain Parnum, Miles Parsons, Tracey Rogers, and Chandra Salgado-Kent. 2017. 'Review of Underwater and In-Air Sounds Emitted by Australian and Antarctic Marine Mammals'. *Acoustics Australia* 45 (2): 179–241.
- ERIAS. 2020. Sediment Geochemistry Characterization. NORI Area D Campaign 3, Campaign 6A and Campaign 6B. May 2020. Report No. 01263A_11_v2
- Evseenko, Sergei, and Maria Shtaut. 2005. 'On the Species Composition and Distribution of Ichthyoplankton and Micronekton in the Costa Rica Dome and Adjacent Areas of the Tropical Eastern Pacific [Originally Published in Russian in *Voprosy Ikhtiologii* v. 45 (4): 512-524].' *Journal of Ichthyology* 45 (January): 513–25.
- Fathom Pacific., 2020a. NORI D Habitat Mapping Phase 2a Report: Substrate Classification – Nodule Substrate.
- Fathom Pacific.,2019a. NORI D Habitat Mapping, Phase 1 Report: Abiotic Habitat Classification.
- Fathom Pacific.,2019b. NORI D Habitat Mapping Phase 2 Report: Substrate Classification
- Fathom Pacific.,2020a. Deep scattering layer and diel vertical migration of scatters. NORI Area D. CCZ.
- Fathom Pacific.,2020b. NORI D Surface Biology Literature Review.
- Federal Geographic Data Committee (2012). Coastal and Marine Ecological Classification Standard. FDGDC-STD-018-2012.
- Filippelli, G.M., 1997. Controls on phosphorus concentration and accumulation in oceanic sediments. *Marine Geology*, 139(1-4), pp.231-240.
- Fitzsimmons, J.N., John, S.G., Marsay, C.M., Hoffman, C.L., Nicholas, S.L., Toner, B.M., German, C.R., Sherrell, R.M., 2017. Iron persistence in a distal hydrothermal plume supported by dissolved–particulate exchange. *Nature Geoscience* 10 (3), 195.
- Flynn, A. J. and Kloser, R. J. 2012. Cross-basin heterogeneity in lanternfish (family Myctophidae) assemblages and isotopic niches ($\delta^{13}\text{C}$ and $\delta^{15}\text{N}$) in the southern Tasman Sea abyssal basin. *Deep-Sea Research I*, 69: 113-127.

- Flynn, A. J. & Williams, A. 2012. Lanternfish (Pisces: Myctophidae) biomass distribution and oceanographic-topographic associations at Macquarie Island, Southern Ocean. *Marine & Freshwater Research*, **63**, 251-263.
- Flynn, A. J., Kloser, R. J and Sutton, C. 2018. Micronekton assemblages and bioregional setting of the Great Australian Bight: a temperate northern boundary current system. Deep-sea research. Part II, topical studies in oceanography, 2018, 157-158.
- Fock, H. O. & Ehrich, S. (2010). Deep-sea pelagic nekton biomass estimates in the North Atlantic: horizontal and vertical resolution of revised data from 1982 and 1983. *Journal of Applied Ichthyology* 26, 85–101.
- Fock, H. O., Matthiessen, B., Zidowitz, H. & Von Westernhagen, H. 2002. Diel and habitat-dependent resource utilisation by deep-sea fishes at the Great Meteor seamount: niche overlap and support for the sound scattering layer interception hypothesis. *Marine Ecology Progress Series*, **244**, 219-233.
- Francesca, Pasotti, Lisa Mevenkamp, Ellen Pape, Magdalena Błażewicz, Paulo Bonifácio, Torben Riehl, Bart De Smet, Nene Lefaible, Lidia Lins, and Ann Vanreusel. 2021. 'A Local Scale Analysis of Manganese Nodules Influence on the Clarion-Clipperton Fracture Zone Macrobenthos'. Deep-sea Research Part I: Oceanographic Research Papers 168 (February): 103449.
- Froelich, P., Klinkhammer, G. P., Bender, M. L., Luedtke, N. A., Heath, G. R., Cullen, D., ... & Maynard, V. 1979. Early oxidation of organic matter in pelagic sediments of the eastern equatorial Atlantic: suboxic diagenesis. *Geochimica et cosmochimica acta*, 43(7), 1075-1090.
- Fugro. 2018. Geotechnical Seafloor Sampling Survey: Geotechnical Data Report. NORI D Area, Campaign 3 Test Mining Site, Clarion Clipperton Zone, Pacific Ocean. 12 November 2018. Fugro Report No. 1803-1344, Volume II. Draft. The Metals Company Metals Inc.
- Gardner, W.D., Richardson, M.J., Mishonov, A.V., 2018. Global assessment of benthic nepheloid layers and linkage with upper ocean dynamics. *Earth and Planetary Science Letters* 482, 126-134.
- Geological Society, London, Special Publications, 15(1) : 245-256.
- Gillard B, Purkiani K, Chatzievangelou D, Vink A, Iversen MH, Thomsen L, 2019. Physical and hydrodynamic properties of deep sea mining-generated, abyssal sediment plumes in the Clarion Clipperton Fracture Zone (eastern-central Pacific). *Elementa Science of the Anthropocene* 7:5
- Global Sea Mineral Resources (GSR), 2018. Environmental Impact Assessment. Small-scale testing of nodule collector components on the seafloor of the Clarion-Clipperton Fracture Zone and its environmental impact.
- Gloeckler, K., Choy, C.A., Hannides, C.C.S., Close, H.G., Goetze, E., Popp, B.N., Drazen, J.C. 2018. Stable isotope analysis of micronekton around Hawaii reveals suspended particles are an important nutritional source in the lower mesopelagic and upper bathypelagic zones. *Limnology and Oceanography*, 63: 1168-1180.
- Glover, A. G., Dahlgren, T. G., Wiklund, H., Mohrbeck, I., & Smith, C. R. 2016. An end-to-end DNA taxonomy methodology for benthic biodiversity survey in the Clarion-Clipperton Zone, central Pacific abyss. *Journal of Marine Science and Engineering*, 4(1), 2.
- Glover, Adrian, Thomas Dahlgren, Helena Wiklund, Inga Mohrbeck, and Craig Smith. 2015. 'An End-to-End DNA Taxonomy Methodology for Benthic Biodiversity Survey in the Clarion-Clipperton Zone, Central Pacific Abyss'. *Journal of Marine Science and Engineering* 4 (1): 2.

- Glover, A.G., Smith, C.R., 2003. The deep-sea floor ecosystem: current status and prospects of anthropogenic change by the year 2025. *Environ. Conserv.* 30, 219–241.
- Glover, A.G., Smith, C.R., Paterson, G.L.J., Wilson, G.D.F., Hawkins, L., *et al.* 2002. Polychaete species diversity in the Central Pacific abyss: local and regional patterns, and relationships with productivity. *Mar. Ecol. Prog. Ser.* 240, 157-170.
- Glover, Ag, Cr Smith, Glj Paterson, Gdf Wilson, L Hawkins, and M Sheader. 2002. 'Polychaete Species Diversity in the Central Pacific Abyss: Local and Regional Patterns, and Relationships with Productivity'. *Marine Ecology Progress Series* 240: 157–70.
- Glover, A., Paterson, G., Bett, B., Gage, J., Myriam, S., Sheader, M., Hawkins, L. 2001. Patterns in polychaete abundance and diversity from the Madeira Abyssal Plain, northeast Atlantic. *Deep-sea Research Part I: Oceanographic Research Papers* 48, 217-236.
- Goineau, Aurélie, and Andrew J. Gooday. 2017. 'Novel Benthic Foraminifera Are Abundant and Diverse in an Area of the Abyssal Equatorial Pacific Licensed for Polymetallic Nodule Exploration'. *Scientific Reports* 7 (1): 45288.
- Goineau, Aurélie, and Andrew J. Gooday. 2019. 'Diversity and Spatial Patterns of Foraminiferal Assemblages in the Eastern Clarion–Clipperton Zone (Abyssal Eastern Equatorial Pacific)'. *Deep-sea Research Part I: Oceanographic Research Papers* 149 (July): 103036.
- Golder Associates, 2018. Technical Report For The NORI Clarion - Clipperton Zone Project, Pacific Ocean.
- Gollner, S., Kaiser, S., Menzel, L., Jones, D.O.B., Brown, A., Mestre, N.C., van Oevelen, D., Menot, L., Colaco, A., Canals, M., Cuvelier, D., Durden, J.M., Gebruk, A., Egho, G.A., Haeckel, M., Marcon, Y., Mevenkamp, L., Morato, T., Pham, C.K., Purser, A., Sanchez-Vidal, A., Vanreusel, A., Vink, A., Martinez Arbizu, P. 2017. Resilience of benthic deep-sea fauna to mining activities. *Marine Environmental Research* 129, 76-101.
- Gollner, Sabine, Stefanie Kaiser, Lena Menzel, Daniel O.B. Jones, Alastair Brown, Nelia C. Mestre, Dick van Oevelen, *et al.* 2017. 'Resilience of Benthic Deep-Sea Fauna to Mining Activities'. *Marine Environmental Research* 129 (August): 76–101.
- Gooday, A. J., Holzmann, M., Caille, C., Goineau, A., Kamenskaya, O., Weber, A. A. T., & Pawlowski, J. 2017. Giant protists (xenophyophores, Foraminifera) are exceptionally diverse in parts of the abyssal eastern Pacific licensed for polymetallic nodule exploration. *Biological conservation*, 207: 106-116.
- Gooday, A.J., Goineau, A. and Voltski, I. 2015. Abyssal foraminifera attached to 1610 polymetallic nodules from the eastern Clarion Clipperton Fracture Zone: a 1611 preliminary description and comparison with North Atlantic dropstone assemblages. . 1612 *Marine Biodiversity*, 2015. 45(3): p. 391-412.
- Graf, G. 1989. Benthic-pelagic coupling in a deep-sea benthic community. *Nature*, 341(6241): 437-439.
- GSR, 2018. Environmental Impact Statement Small-scale testing of nodule collector components on the seafloor of the Clarion-Clipperton Fracture Zone and its environmental impact. DEME 2018
- Haddock, Steven H.D., Mark A. Moline, and James F. Case. 2010. 'Bioluminescence in the Sea'. *Annual Review of Marine Science* 2 (1): 443–93.
- Halbach, P., Schneider, S., Jahn, A. and Cherkashov, G., 2013. The potential of rare-earth elements in oxidic deep-sea mineral deposits (ferromanganese nodules and crusts). *Mineral resources and mine development*. Verlag Glückauf GmbH, Essen, pp.161-174.

- Halbach et al., 1988 P. Halbach, G. Friedrich, U. von Stackelberg (Eds.), *The Manganese Nodule Belt of the Pacific Ocean*, Enke, Stuttgart (1988).
- Hannides, C.C.S., Popp, B.N., Choy, C.A., Drazen, J.C., 2013. Mid-water zooplankton and suspended particle dynamics in the North Pacific Subtropical Gyre: a stable isotope perspective. *Limnology and Oceanography* 58 (6), 1931-1946.
- Harris, P.T. 2012a. Biogeography, Benthic Ecology, and Habitat Classification Schemes. In, P.T. Harris and E.K. Baker, *Seafloor Geomorphology as Benthic Habitat. GeoHab Atlas of Seafloor Geomorphic Features and Benthic Habitats*. Elsevier, London. pp. 61-91.
- Harris, P.T. 2012b. Seafloor Geomorphology—Coast, Shelf, and Abyss. In, P.T. Harris and E.K. Baker, *Seafloor Geomorphology as Benthic Habitat. GeoHab Atlas of Seafloor Geomorphic Features and Benthic Habitats*. Elsevier, London. pp. 109-156.
- Hauquier, Freija, Lara Macheriotou, Tania N. Bezerra, Great Egho, Pedro Martínez Arbizu, and Ann Vanreusel. 2019. 'Distribution of Free-Living Marine Nematodes in the Clarion–Clipperton Zone: Implications for Future Deep-Sea Mining Scenarios'. *Biogeosciences* 16 (18): 3475–89.
- Hauton, Chris, Alastair Brown, Sven Thatje, Nélia C. Mestre, Maria J. Bebianno, Inês Martins, Raul Bettencourt, *et al.* 2017. 'Identifying Toxic Impacts of Metals Potentially Released during Deep-Sea Mining—A Synthesis of the Challenges to Quantifying Risk'. *Frontiers in Marine Science* 4 (November): 368.
- Hegmann, G., Cocklin, C., Creasey, R., Dupuis, S., Kennedy, A. and L. Kingsley. 1999. *Cumulative*
- Heller, T. Kuhn, G.J. Versteegh, A.V. Wegorzewski, S. Kasten., 2018. The geochemical behavior of metals during early diagenetic alteration of buried manganese nodules *Deep-Sea Res. Part I*, 142, pp. 16-33
- Hernandez-Molina, F. J., Maldonado, A., & Stow, D. A. V. 2008. Chapter 18 Abyssal Plain Contourites. In: Rebesco, M., Camerlenghi, A. (Eds.), *Developments in Sedimentology*, vol.60. Elsevier, pp. 345–378.
- Herring, P. (2002) *The Biology of the Deep Ocean*. Oxford University Press, New York.
- Hestetun, Jon Thomassen, Einar Bye-Ingebrigtsen, R. Henrik Nilsson, Adrian G. Glover, Per-Otto Johansen, and Thomas G. Dahlgren. 2020. 'Significant Taxon Sampling Gaps in DNA Databases Limit the Operational Use of Marine Macrofauna Metabarcoding'. *Marine Biodiversity* 50 (5): 70.
- Higgins, R. P., & Thiel, H. 1988. *Introduction to the study of meiofauna*. Smithsonian Institution Press.
- Hollister, C. D., & Heezen, B. C. 1972. *Geologic effects of ocean bottom currents: western North Atlantic*.
- Horton T, Marsh L, Bett BJ, Gates AR, Jones DOB, Benoist NMA, Pfeifer S, Simon-Lledó E, Durden JM, Vandepitte L and Appeltans W (2021) Recommendations for the Standardisation of Open Taxonomic Nomenclature for Image-Based Identifications. *Front. Mar. Sci.* 8:620702. doi: 10.3389/fmars.2021.620702
- Hu, Vernon J. H. 1981. 'Ingestion of Deep-Sea Mining Discharge by Five Species of Tropical Copepods'. *Water, Air, and Soil Pollution* 15 (4): 433–40.
- Hu, Z.; Hu, H.; Huang, Y. 2018. Association between night-time artificial light pollution and sea turtle nest density along Florida coast: A geospatial study using VIIRS remote sensing data. *Environ. Pollut.* 2018, 239, 30–42.

- Huang, Z., Schlacher, T.A., Nichol, S., Williams, A., Althaus, F. and Kloser, R., 2018. A conceptual surrogacy framework to evaluate the habitat potential of submarine canyons. *Progress in Oceanography*, 169, pp.199-213.
- Huang, Z., Nichol, S. L., Harris, P. T., & Caley, M. J. (2014). Classification of submarine canyons of the Australian continental margin. *Marine Geology*, 357: 362-383.
- Hulley, P.A., 1992. Upper-slope distributions of oceanic lanternfishes (family: Myctophidae). *Marine Biology* 114, 365–383.
- Hunt, B. P. V., Allain, V., Menkes, C., Lorrain, A., Graham, B., Rodier, M., *et al.* (2015) A coupled stable isotope-size spectrum approach to understanding pelagic food-web dynamics: A case study from the southwest sub-tropical Pacific. *Deep-sea research. Part II, Topical studies in oceanography*, **113**, 208-224.
- HYCOM, 2021. Technical Description available at <https://www.hycom.org/hycom/documentation>
- International Finance Corporation (IFC). 2013. Good Practice Handbook for Cumulative Impact Assessment and Management: Guidance for the Private Sector in Emerging Markets. International Finance Corporation. Washington DC, USA.
- International Hydrographic Organization (2019) Standardization of Undersea Feature Names. Edition 4.2.0, October 2019.
- International Maritime Organisation. 2013. Reducing risk of collisions with whales avoiding collisions prevents damage to ships, and injuries to passengers, crew and whales. Leaflet available at https://iwc.int/private/downloads/h1Sgsk87jXrzYkNin5mfuQ/IFAW%20ship%20strike%20English%202013_web.pdf
- International Seabed Authority (ISA). 2020. Member States. <https://www.isa.org.jm/member-states>. International Seabed Authority Accessed 3 December 2020.
- International Seabed Authority (ISA), 2019. Annex IV ISBA/25/C/WP.1 Draft regulations on exploitation of mineral resources in the Area.
- International Seabed Authority (ISA), 2019. Current Status of the Reserved Areas. Policy Brief 01.
- International Seabed Authority (ISA), 2013. Annex IV ISBA/19/LTC/8 Recommendations for the guidance of contractors for the assessment of the possible environmental impacts arising from exploration for marine minerals in the Area.
- International Seabed Authority (ISA), 2010b. A Geological Model of Polymetallic Nodule Deposits in the Clarion-Clipperton Fracture Zone (No. 6). International Seabed Authority.
- International Seabed Authority (ISA), 2010c. Technical study 6 A Geological Model Of Polymetallic Nodule Deposits In The Clarion- Clipperton Fracture Zone <https://isa.org.jm/files/documents/EN/Pubs/GeoMod-Rep-2010.pdf>. Accessed May 2020.
- Irigoien, X., Klevjer, T.A., Røstad, A., Martinez, U., Boyra, G., Acuña, J.L., Bode, A., Echevarria, F., Gonzalez-Gordillo, J.I., Hernandez-Leon, S., Agusti, S., Aksnes, D.L., Duarte, C.M., Kaartvedt, S., 2014. Large mesopelagic fishes biomass and trophic efficiency in the open ocean. *Nature Communications* 5, 3271.

- ISBA. 2020. 'Deep CCZ Biodiversity Synthesis Workshop Report - Final-for Posting-Clean-1.Pdf'. <https://isa.org.jm/files/files/documents/Deep%20CCZ%20Biodiversity%20Synthesis%20Workshop%20Report%20-%20Final-for%20posting-clean-1.pdf>.
- iSeaMC. 2020. Characterization of sediment plumes behind mining vehicles in the NORI area (laboratory analyses). Final report prepared by iSeaMC for The Metals Company. October 2020.
- ISO/DIS. 2016. 8405.2. Underwater acoustics—terminology.
- IWC. 2021. International Whaling Commission website (<https://iwc.int/ship-strikes>). Accessed 10/05/2021.
- Jahnke, R., Heggie, D., Emerson, S., Grundmanis, V., 1982. Pore waters of the central Pacific Ocean: nutrient results. *Earth and Planetary Science Letters*, 61, p.233-256
- Jang, M. H., Kim, W. K., Lee, S. K., Henry, T. B., & Park, J. W. 2014. Uptake, tissue distribution, and depuration of total silver in common carp (*Cyprinus carpio*) after aqueous exposure to silver nanoparticles. *Environmental science & technology*, 48(19), 11568-11574.
- Jasiewicz, J. and Stepinski, T.F. (2013). Geomorphons – a pattern recognition approach to classification and mapping landforms. *Geomorphology*, 182: 147-156.
- Jiang, Z.P., Tyrrell, T., Hydes, D.J., Dai, M. and Hartman, S.E., 2014. Variability of alkalinity and the alkalinity-salinity relationship in the tropical and subtropical surface ocean. *Global Biogeochemical Cycles*, 28(7), pp.729-742.
- Jones, D.O., Kaiser, S., Sweetman, A.K., Smith, C.R., Menot, L., Vink, A., Trueblood, D., Greinert, J., Billett, D.S., Arbizu, P.M. and Radziejewska, T., 2017. Biological responses to disturbance from simulated deep-sea polymetallic nodule mining. *PLoS One*, 12(2), p.e0171750.
- Jorissen, F., Nardelli, M. P., Almogi-Labin, A., Barras, C., Bergamin, L., Bicchi, E., ... & Spezzaferri, S. 2018. Developing Foram-AMBI for biomonitoring in the Mediterranean: species assignments to ecological categories. *Marine Micropaleontology*, 140, 33-45.
- Kamenskaya, O. E., V. F. Melnik, and A. J. Gooday. 2013. 'Giant Protists (Xenophyophores and Komokiaceans) from the Clarion-Clipperton Ferromanganese Nodule Field (Eastern Pacific)'. *Biology Bulletin Reviews* 3 (5): 388–98.
- Kaufman, L. and Rousseeuw, P. 1990. *Finding Groups in Data: An Introduction to Cluster Analysis*. John Wiley and Sons.
- Kersten, Oliver, Craig R. Smith, and Eric W. Vetter. 2017. 'Abyssal Near-Bottom Dispersal Stages of Benthic Invertebrates in the Clarion-Clipperton Polymetallic Nodule Province'. *Deep-sea Research Part I: Oceanographic Research Papers* 127 (September): 31–40.
- Kersten, Oliver, Eric W. Vetter, Michelle J. Jungbluth, Craig R. Smith, and Erica Goetze. 2019. 'Larval Assemblages over the Abyssal Plain in the Pacific Are Highly Diverse and Spatially Patchy'. *PeerJ* 7 (September): e7691.
- Key, R.M., Kozyr, A., Sabine, C.L., Lee, K., Wanninkhof, R., Bullister, J.L., Feely, R.A., Millero, F.J., Mordy, C. and Peng, T.H., 2004. A global ocean carbon climatology: Results from Global Data Analysis Project (GLODAP). *Global biogeochemical cycles*, 18(4).

- Kiko, R., Biastoch, A., Brandt, P., Cravatte, S., Hauss, H., Hummels, R., Kriest, I., Marin, F., McDonnell, A.M.P., Oschlies, A., Picheral, M., Schwarzkopf, F.U., Thurnherr, A.M., Stemmann, L., 2017. Biological and physical influences on marine snowfall at the equator. *Nature Geoscience* 10, 852.
- Klevjer, T.A., Irigoien, X., Røstad, A., Fraile-Nuez, E., Benítez-Barrios, V.M. and Kaartvedt, S., 2016. Large scale patterns in vertical distribution and behaviour of mesopelagic scattering layers. *Scientific Reports*, 6(1), pp.1-11.
- Kochevar, R. E. 1998. Effects of artificial light on deep-sea organism. Recommendations for ongoing use of artificial light on deep-sea submersibles. Technical Report for the Monterey Bay National Marine Sanctuary Research.
- Koschinsky, A., Borowski, C. and Halbach, P., 2003. Reactions of the heavy metal cycle to industrial activities in the deep-sea: An ecological assessment. *International Review of Hydrobiology: A Journal Covering all Aspects of Limnology and Marine Biology*, 88(1), pp.102-127.
- Koschinsky, A., Gaye-Haake, B., Arndt, C., Maue, G., Spitzzy, A., Winkler, A. and Halbach, P., 2001. Experiments on the influence of sediment disturbances on the biogeochemistry of the deep-sea environment. *Deep Sea Research Part II: Topical Studies in Oceanography*, 48(17-18), pp.3629-3651.
- Kozich, J. J., Westcott, S. L., Baxter, N. T., Highlander, S. K., & Schloss, P. D. 2013. Development of a dual-index sequencing strategy and curation pipeline for analyzing amplicon sequence data on the MiSeq Illumina sequencing platform. *Applied and Environmental Microbiology*, 79(17), 5112–5120. <https://doi.org/10.1128/AEM.01043-13>
- Kuhn, T., 2015. Cruise Report SO 240–FLUM: Low-temperature fluid circulation at seamounts and hydrothermal pits: heat flow regime, impact on biogeochemical processes, and its potential influence on the occurrence and composition of manganese nodules in the equatorial eastern Pacific.
- Landry, Michael R., Hussain Al-Mutairi, Karen E. Selph, Stephanie Christensen, and Scott Nunnery. 2001. 'Seasonal Patterns of Mesozooplankton Abundance and Biomass at Station ALOHA'. *Deep-sea Research Part II: Topical Studies in Oceanography* 48 (8): 2037–61.
- Langenkämper, D., Zurowietz, M., Schoening, T., & Nattkemper, T. W. 2017. Biigle 2.0-browsing and annotating large marine image collections. *Frontiers in Marine Science*, 4, 83.
- Laroche, Olivier, Oliver Kersten, Craig R. Smith, and Erica Goetze. 2020. 'From Sea Surface to Seafloor: A Benthic Allochthonous EDNA Survey for the Abyssal Ocean'. *Frontiers in Marine Science* 7 (September): 682.
- Lee, K., Wanninkhof, R., Feely, R.A., Millero, F.J. and Peng, T.H., 2000. Global relationships of total inorganic carbon with temperature and nitrate in surface seawater. *Global Biogeochemical Cycles*, 14(3), pp.979-994.
- Lei, Yan Li, Tie Gang Li, Hongsheng Bi, Wen Lin Cui, Wen Peng Song, Ji Ye Li, and Cheng Chun Li. 2015. 'Responses of Benthic Foraminifera to the 2011 Oil Spill in the Bohai Sea, PR China'. *Marine Pollution Bulletin* 96 (1–2): 245–60.
- Leitner, A.B., Neuheimer, A.B., Donlon, E., Smith, C.R. and Drazen, J.C., 2017. Environmental and bathymetric influences on abyssal bait-attending communities of the Clarion Clipperton Zone. *Deep-sea Research Part I: Oceanographic Research Papers*, 125, pp.65-80.

- Levin, L.A.. 2003. Oxygen minimum zone benthos: Adaptation and community response to hypoxia. *Oceanography and Marine Biology: An Annual Review*. 41. 1-45.
- Levin, L. A., & Nittrouer, C. A. 1987. Textural characteristics of sediments on deep-seamounts in the eastern Pacific Ocean between 10° N and 30° N. *Seamounts, Islands, and Atolls*, 43: 187-203.
- Lim, Swee-Cheng, Helena Wiklund, Adrian G. Glover, Thomas G. Dahlgren, and Koh-Siang Tan. 2017. 'A New Genus and Species of Abyssal Sponge Commonly Encrusting Polymetallic Nodules in the Clarion-Clipperton Zone, East Pacific Ocean'. *Systematics and Biodiversity* 15 (6): 507–19.
- Lin, Tzu-Hao, Chong Chen, Hiromi Kayama Watanabe, Shinsuke Kawagucci, Hiroyuki Yamamoto, and Tomonari Akamatsu. 2019. 'Using Soundscapes to Assess Deep-Sea Benthic Ecosystems'. *Trends in Ecology & Evolution* 34 (12): 1066–69.
- Lindh, Markus V., Brianne M. Maillot, Christine N. Shulse, Andrew J. Gooday, Diva J. Amon, Craig R. Smith, and Matthew J. Church. 2017. 'From the Surface to the Deep-Sea: Bacterial Distributions across Polymetallic Nodule Fields in the Clarion-Clipperton Zone of the Pacific Ocean'. *Frontiers in Microbiology* 8 (September): 1696.
- Lindh, Markus V., Brianne M. Maillot, Craig R. Smith, and Matthew J. Church. 2018. 'Habitat Filtering of Bacterioplankton Communities above Polymetallic Nodule Fields and Sediments in the Clarion-Clipperton Zone of the Pacific Ocean: Metacommunity Structure of Clarion-Clipperton Zone Bacteria'. *Environmental Microbiology Reports* 10 (2): 113–22.
- Maas, Amy E., Sarah L. Frazar, Dawn M. Outram, Brad A. Seibel, and Karen F. Wishner. 2014. 'Fine-Scale Vertical Distribution of Macroplankton and Micronekton in the Eastern Tropical North Pacific in Association with an Oxygen Minimum Zone'. *Journal of Plankton Research* 36 (6): 1557–75.
- Macheriotou, L., Rigaux, A., Derycke, S., Vanreusel, A., 2020. Phylogenetic clustering and rarity imply risk of local species extinction in prospective deep-sea mining areas of the Clarion-Clipperton Fracture Zone. *Proceedings of the Royal Society B: Biological Sciences* 287, 20192666.
- Margin. 2020. NORI D Geological Model Phase 1 Report. Report to The Metals Company Metals Inc by Margin – Marine Geoscience Innovation.
- Marnane M., Elsdon T., Roupheal T, Pedersen C., Peat K. and Morgan C. 2019, Enhancing environmental performance during Wheatstone dredging through science and innovation. *Journal of the Australian Petroleum Production & Exploration Association (APPEA)* 57(2), 2017.
- Marsay, C.M., Sanders, R.J., Henson, S.A., Pabortsava, K., Achterberg, E.P., Lampitt, R.S., 2015. Attenuation of sinking particulate organic carbon flux through the mesopelagic ocean. *Proceedings of the National Academy of Sciences* 112 (4), 1089-1094.
- Marsh, L., Huvenne, V.A. and Jones, D.O., 2018. Geomorphological evidence of large vertebrates interacting with the seafloor at abyssal depths in a region designated for deep-sea mining. *Royal Society open science*, 5(8), p.180286.
- Maynard, Sherwood D, Fletcher V Riggs, and John F Walters'. n.d. 'Mesopelagic micronekton in hawaiian waters: faunal composition, standing stock, and diel vertical migration', 11.
- McCave, I. N., & Tucholke, B. E. 1986. Deep current-controlled sedimentation in the western North Atlantic. *The Western North Atlantic Region*.
- McClain, C. R. 2007. Seamounts: identity crisis or split personality? *Journal of Biogeography* 34, 2001–2008.

- McDonnell, A.M.P., Lam, P.J., Lamborg, C.H., Buesseler, K.O., Sanders, R., Riley, J.S., Marsay, C., Smith, H.E.K., Sargent, E.C., Lampitt, R.S., Bishop, J.K.B., 2015. The oceanographic toolbox for the collection of sinking and suspended marine particles. *Progress in Oceanography* 133, 17-31.
- McKenna, M.F., Ross, D., Wiggins, S.M. and Hildebrand, J.A., 2012. Underwater radiated noise from modern commercial ships. *The Journal of the Acoustical Society of America*, 131(1), pp.92-103.
- Menkes, C. E., Allain, V., Rodier, M., Gallois, F., Lebourges-Dhaussy, A., Hunt, B. P. V., *et al.* (2015) Seasonal oceanography from physics to micronekton in the south-west Pacific. *Deep-sea research. Part II, Topical studies in oceanography*, **113**, 125-144.
- Merkel, F.R.; Johansen, K.L. Light-induced bird strikes on vessels in Southwest Greenland. *Mar. Pollut. Bull.* 2011, 62, 2330–2336.
- Mestre, Nélia C., Thiago L. Rocha, Miquel Canals, Cátia Cardoso, Roberto Danovaro, Antonio Dell’Anno, Cristina Gambi, Francesco Regoli, Anna Sanchez-Vidal, and Maria João Bebianno. 2017. ‘Environmental Hazard Assessment of a Marine Mine Tailings Deposit Site and Potential Implications for Deep-Sea Mining’. *Environmental Pollution (Barking, Essex: 1987)* 228 (September): 169–78.
- Mevenkamp, Lisa, Tanja Stratmann, Katja Guilini, Leon Moodley, Dick van Oevelen, Ann Vanreusel, Stig Westerlund, and Andrew K. Sweetman. 2017. ‘Impaired Short-Term Functioning of a Benthic Community from a Deep Norwegian Fjord Following Deposition of Mine Tailings and Sediments’. *Frontiers in Marine Science* 4 (May): 169.
- Mewes et al., 2016 K. Mewes, J.M. Mogollón, A. Picard, C. Rühlemann, A. Eisenhauer, T. Kuhn, W. Ziebis, S. Kasten Diffusive transfer of oxygen from seamount basaltic crust into overlying sediments: an example from the Clarion-Clipperton Fracture Zone Earth Planet. Sci. Lett., 433 (2016), pp. 215-225, 10.1016/j.epsl.2015.10.028
- Mewes, K., Mogollón, J. M., Picard, A., Rühlemann, C., Kuhn, T., Nöthen, K., & Kasten, S. 2014. Impact of depositional and biogeochemical processes on small scale variations in nodule abundance in the Clarion-Clipperton Fracture Zone. *Deep-sea Research Part I: Oceanographic Research Papers*, 91, 125-141.
- Michael Lodge Secretary-General of the International Seabed Authority. 2019. Regulating deep-sea mining. The economist group world oceans interactive.
- MIDAS, 2015. Near-field hydrodynamic modelling of two case study sites. 21 pp.
- MIDAS, 2016a. (Managing Impacts of DeepSea Resource Exploitation) <https://www.eu-midas.net/science/nodules>.
- Miljutina, Dmitry M., Maria A. Miljutina, Pedro Martínez Arbizu, and Joëlle Galéron. 2011. ‘Deep-Sea Nematode Assemblage Has Not Recovered 26 Years after Experimental Mining of Polymetallic Nodules (Clarion-Clipperton Fracture Zone, Tropical Eastern Pacific)’. *Deep-sea Research Part I: Oceanographic Research Papers* 58 (8): 885–97.
- Miljutina, M.A., Miljutina, D.M., Mahatma, R. and Galéron, J., 2010. Deep-sea nematode assemblages of the Clarion-Clipperton Nodule Province (Tropical North-Eastern Pacific). *Marine Biodiversity*, 40(1), pp.1-15.
- Milligan, R. J., K. J. Morris, B. J. Bett, J. M. Durden, D. O. B. Jones, K. Robert, H. A. Ruhl, and D. M. Bailey. 2016. ‘High Resolution Study of the Spatial Distributions of Abyssal Fishes by Autonomous Underwater Vehicle’. *Scientific Reports* 6 (1): 26095.

- Mojtahid, M., F. Jorissen, J. Durrieu, F. Galgani, H. Howa, F. Redois, and R. Camps. 2006. 'Benthic Foraminifera as Bio-Indicators of Drill Cutting Disposal in Tropical East Atlantic Outer Shelf Environments'. *Marine Micropaleontology* 61 (1–3): 58–75.
- Monterey, G., and Levitus, S., 1997, Seasonal Variability of Mixed Layer Depth for the World Ocean. NOAA Atlas NESDIS 14, U.S. Gov. Printing Office, Wash., D.C., 96 pp.
- Morgan, C.L., 1999. 6 Resource Estimates of the. *Handbook of Marine Mineral Deposits*, 18, p.145.
- Morgan, C.L., Nichols, J.A., Selk, B.W., Toth, J.R. and Wallin, C., 1993. Preliminary analysis of exploration data from Pacific deposits of manganese nodules. *Marine Georesources & Geotechnology*, 11(1), pp.1-25.
- Morvan, Julie, Valérie Le Cadre, Frans Jorissen, and Jean-Pierre Debenay. 2004. 'Foraminifera as Potential Bio-Indicators of the " Erika " Oil Spill in the Bay of Bourgneuf: Field and Experimental Studies'. *Aquatic Living Resources* 17 (3): 317–22.
- Mullineaux, L. S. 1987. Organisms living on manganese nodules and crusts: distribution and abundance at three North Pacific sites. *Deep-sea Research Part A. Oceanographic Research Papers*, 34(2) : 165-184
- Nameroff, T.J., Balistrieri, L.S. and Murray, J.W., 2002. Suboxic trace metal geochemistry in the eastern tropical North Pacific. *Geochimica et Cosmochimica Acta*, 66(7), pp.1139-1158.
- Netburn, Amanda. 2018. 'From Surface to Seafloor: Exploration of the Water Column (Workshop Report), Honolulu, HI, 4-5 March 2017'. United States. National Oceanic and Atmospheric Administration. Office of Ocean Exploration and Research.
- NORI, 2019. Preliminary Economic Assessment of the NORI Area D Project, Clarion Clipperton Zone. The Metals Company Metals Inc. AMC Project 319002. 17 May 2019.
- NORI. 2015. Preliminary Economic Assessment. NORI Clarion-Clipperton Zone Area D Project, Pacific Ocean. Golder Associates Ltd.
- O'Malley, Bryan J., Patrick T. Schwing, Michael Martínez-Colón, Silvia Spezzaferri, Maria L. Machain-Castillo, Rebekka A. Larson, Gregg R. Brooks, Ana Carolina Ruiz-Fernández, and David J. Hollander. 2021. 'Development of a Benthic Foraminifera Based Marine Biotic Index (Foram-AMBI) for the Gulf of Mexico: A Decision Support Tool'. *Ecological Indicators* 120 (January): 106916.
- Oebius, H. U., Becker, H. J., Rolinski, S., and Jankowski, J. A. 2001. Parametrization and evaluation of marine environmental impacts produced by deep-sea manganese nodule mining. *Deep-sea Res. Part II* 48, 3453–3467.
- Ogawa, H. and Tanoue, E., 2003. Dissolved organic matter in oceanic waters. *Journal of Oceanography*, 59(2), pp.129-147.
- Olive, J. A., Behn, M. D., Ito, G., Buck, W. R., Escartín, J., & Howell, S. 2015. Sensitivity of seafloor bathymetry to climate-driven fluctuations in mid-ocean ridge magma supply. *Science*, 350(6258) : 310-313.
- OSPAR Commission. 2009. Assessment of the environmental impact of underwater noise. <https://www.ospar.org/work-areas/eiha/noise>.
- Ozdemir, M.S., Saaty, T.L., 2006. The unknown in decision making: what to do about it. *Eur. J. Oper. Res.* 174 (1), 349–359.

- Pape, Ellen, Tania N. Bezerra, Freija Hauquier, and Ann Vanreusel. 2017. 'Limited Spatial and Temporal Variability in Meiofauna and Nematode Communities at Distant but Environmentally Similar Sites in an Area of Interest for Deep-Sea Mining'. *Frontiers in Marine Science* 4 (June): 205.
- Parada, A.E., Needham, D.M. and Fuhrman, J.A., 2016. Every base matters: assessing small subunit rRNA primers for marine microbiomes with mock communities, time series and global field samples. *Environmental microbiology*, 18(5), pp.1403-1414.
- Parnum, Iain. 2020. Bioacoustic Analysis of Underwater Sound Recordings Collected in the NORI-D: Preliminary Analysis and Workflow Development (Milestone 1).
- Pearcy, W. & Laurs, R. 1966. Vertical migration and distribution of mesopelagic fishes off Oregon. *Deep Sea Research*, 13, 153-165.
- Percival, S.M., Band, B. and Leeming, T. 1999. Assessing the ornithological effects of wind farms: developing a standard methodology. *Proceedings of the 21st British Wind Energy Association Conference 1999*.
- Petersen, S., Krättschell, A., Augustin, N., Jamieson, J., Hein, J.R. and Hannington, M.D., 2016. News from the seabed—Geological characteristics and resource potential of deep-sea mineral resources. *Marine Policy*, 70, pp.175-187.
- Peukert, A., Schoening, T., Alevizos, E., Köser, K., Kwasnitschka, T. and Greinert, J., 2017. Understanding Mn-nodule distribution and related deep-sea mining impacts using AUV-based hydroacoustic sensing and optical observations. *Biogeosciences Discussions*, pp.1-33.
- PIANC. 2010. Dredging and Port Construction Around Coral Reefs. PIANC EnviCom WG108-2010.
- Pickering, K. T., & Hiscott, R. N. 2015. *Deep marine systems: processes, deposits, environments, tectonics and sedimentation*. John Wiley & Sons.
- Pirotta, Enrico, Rachael Milor, Nicola Quick, David Moretti, Nancy Di Marzio, Peter Tyack, Ian Boyd, and Gordon Hastie. 2012. 'Vessel Noise Affects Beaked Whale Behavior: Results of a Dedicated Acoustic Response Study'. *PLOS ONE* 7 (8): e42535.
- Popp, B.N., Graham, B.S., Olson, R.J., Hannides, C.C.S., Lott, M.J., López-Ibarra, G.A., Galván-Magaña, F., Fry, B., 2007. Insight into the trophic ecology of yellowfin tuna, *Thunnus albacares*, from compound-specific nitrogen isotope analysis of proteinaceous amino acids. *Stable Isotopes as Indicators of Ecological Change*. Elsevier/Academic Press.
- Popper, Arthur N., Jane Fewtrell, Michael E. Smith, and Robert D. McCauley. 2003. 'Anthropogenic Sound: Effects on the Behavior and Physiology of Fishes'. *Marine Technology Society Journal* 37 (4): 35–40.
- Priede, I. G. (2017) *Deep-sea fishes: biology, diversity, ecology and fisheries*. Cambridge University Press.
- Przeslawski, R., Currie, D. R., Sorokin, S. J., Ward, T. M., Althaus, F., & Williams, A. 2011. Utility of a spatial habitat classification system as a surrogate of marine benthic community structure for the Australian margin. *ICES Journal of Marine Science*, 68(9)
- Radziejewska, T., 2014. *Meiobenthos in the sub-equatorial Pacific Abyss: a proxy in anthropogenic impact evaluation*. Springer.
- Ramirez-Llodra, E., Reid, W. D. K., & Billett, D. S. M. 2005. Long-term changes in reproductive patterns of the holothurian *Oneirophanta mutabilis* from the Porcupine Abyssal Plain. *Marine Biology*, 146(4) 683-693

- Reid, S. B., Hirota, J., Young, R. E. & Hallacher, L. E. 1991. Mesopelagic-boundary community in Hawaii: micronekton at the interface between neritic and oceanic ecosystems. *Marine Biology*, 109, 427-440.
- Rex, M.A. and Etter, R.J., 2010. Deep-sea biodiversity: pattern and scale. Harvard University Press.
- Rhoads, D.C. and Morse, J.W., 1971. Evolutionary and ecologic significance of oxygen-deficient marine basins. *Lethaia*, 4(4), pp.413-428.
- Ridall, A. 2020, Guide to the identification of marine meiofauna. Schmidt-Rhaesa, Andreas (Ed.) Verlag Dr. Friedrich Pfeil, Munich, Germany, 2020. 608 pp.
- Roberts, J. M., Wheeler, A. J., & Freiwald, A. 2006. Reefs of the deep: the biology and geology of cold-water coral ecosystems. *Science*, 312(5773): 543-547.
- Robison, B. H. 2004. Deep pelagic biology. *Journal of Experimental Marine Biology and Ecology*, 300, 253-272.
- Robison, B. H. 2009. Conservation of deep pelagic biodiversity. *Conservation Biology*, 23, 847-858.
- Robison, B., Sherlock, R. E. & Reisenbichler, K. R. 2010. The bathypelagic community of Monterey Canyon. *Deep-Sea Research II*, 57, 1551-1556.
- Rogers, A. 1994. The biology of seamounts. *Advances in Marine Biology*, 30, 305-352.
- Romero, Isabel C., Tamay Özgökmen, Susan Snyder, Patrick Schwing, Bryan J. O'Malley, Francisco J. Beron-Vera, Maria J. Ollascoaga, *et al.* 2016. 'Tracking the Hercules 265 Marine Gas Well Blowout in the Gulf of Mexico'. *Journal of Geophysical Research: Oceans* 121 (1): 706–24.
- Romero-Romero, S., Choy, C.A., Hannides, C.C.S., Popp, B.N., Drazen, J.C., 2019. Differences in the trophic ecology of micronekton driven by diel vertical migration. *Limnology and Oceanography* 64, 1473-1483.
- Rousseeuw, P. J. (1987). Silhouettes: a graphical aid to the interpretation and validation of cluster analysis. *Journal of computational and applied mathematics*, 20: 53-65.
- Rowden, A. A., Schlacher, T. A., Williams, A., Clark, M. R., Stewart, R., Althaus, F., Bowden, D. A., Conalvey, M., Robinson, W., Dowdney, J. 2010. A test of the seamount oasis hypothesis: seamounts support higher epibenthic megafaunal biomass than adjacent slopes. *Marine Ecology*, 31: 95–106.
- Salomons, W., & Förstner, U. 1984. Sediments and the transport of metals. In *Metals in the Hydrocycle* (pp. 63-98). Springer, Berlin, Heidelberg.
- Schmidt-Rhaesa, A. 2014. Guide to the identification of marine meiofauna
- Schmidt-Rhaesa, A., & Vieler, V. 2020. Validation of *Spadella kappae* Schmidt-Rhaesa amp; Vieler, a small benthic chaetognath from Roscoff, France (Chaetognatha). *Zootaxa*, 4759(2), zootaxa-4759.
- Schorr, G.S., Falcone, E.A., Moretti, D.J. and Andrews, R.D., 2014. First long-term behavioral records from Cuvier's beaked whales (*Ziphius cavirostris*) reveal record-breaking dives. *PloS one*, 9(3), p.e92633.
- Schwing, Patrick T., Bryan J. O'Malley, and David J. Hollander. 2018. 'Resilience of Benthic Foraminifera in the Northern Gulf of Mexico Following the Deepwater Horizon Event (2011–2015)'. *Ecological Indicators* 84 (January): 753–64.

- Schwing, Patrick T., Isabel C. Romero, Gregg R. Brooks, David W. Hastings, Rebekka A. Larson, and David J. Hollander. 2015. 'A Decline in Benthic Foraminifera Following the Deepwater Horizon Event in the Northeastern Gulf of Mexico'. Edited by Fabiano Thompson. PLOS ONE 10 (3): e0120565.
- Sharma, R. (2015). Environmental issues of deep-sea mining. *Procedia Earth and Planetary Science*, 11, 204-211.
- Sharma, R., 2011. Deep-sea mining: economic, technical, technological, and environmental considerations for sustainable development. *Mar. Technol. Soc. J.* 45, 28–41.
- Shulse, Christine N., Brianne Maillot, Craig R. Smith, and Matthew J. Church. 2017. 'Polymetallic Nodules, Sediments, and Deep Waters in the Equatorial North Pacific Exhibit Highly Diverse and Distinct Bacterial, Archaeal, and Microeukaryotic Communities'. *MicrobiologyOpen* 6 (2): e00428.
- Simon-Lledó, E., Pomee, C., Ahokava, A., Drazen, J.C., Leitner, A.B., Flynn, A., Parianos, J. and Jones, D.O.B. 2020. Multi-scale variations in invertebrate and fish megafauna in the mid-eastern Clarion Clipperton Zone. *Progress in Oceanography*, 187: 102405.
- Simon-Lledó, E., Bett, B. J., Huvenne, V. A., Schoening, T., Benoist, N. M., & Jones, D. O. 2019. Ecology of a polymetallic nodule occurrence gradient: Implications for deep-sea mining. *Limnology and Oceanography*, 64(5): 1883-1894.
- Simon-Lledó, Erik, Brian J. Bett, Veerle A. I. Huvenne, Kevin Köser, Timm Schoening, Jens Greinert, and Daniel O. B. Jones. 2019a. 'Biological Effects 26 Years after Simulated Deep-Sea Mining'. *Scientific Reports* 9 (1): 8040.
- Simon-Lledó, Erik, Brian J. Bett, Veerle A. I. Huvenne, Timm Schoening, Noelie M. A. Benoist, and Daniel O. B. Jones. 2019b. 'Ecology of a Polymetallic Nodule Occurrence Gradient: Implications for Deep-sea Mining'. *Limnology and Oceanography* 64 (5): 1883–94.
- Simon-Lledó, Erik, Brian J. Bett, Veerle A.I. Huvenne, Timm Schoening, Noelie M.A. Benoist, Rachel M. Jeffreys, Jennifer M. Durden, and Daniel O.B. Jones. 2019c. 'Megafaunal Variation in the Abyssal Landscape of the Clarion Clipperton Zone'. *Progress in Oceanography* 170 (January): 119–33.
- Simon-Lledó, E., Bett, B.J., Huvenne, V.A., Köser, K., Schoening, T., Greinert, J. and Jones, D.O., 2019c. Biological effects 26 years after simulated deep-sea mining. *Scientific reports*, 9(1), pp.1-13.
- Smith, C, F Deleo, A Bernardino, A Sweetman, and P Arbizu. 2008. 'Abyssal Food Limitation, Ecosystem Structure and Climate Change'. *Trends in Ecology & Evolution* 23 (9): 518–28.
- Smith, C. R., Berelson, W., Demaster, D. J., Dobbs, F. C., Hammond, D., Hoover, D. J., ... & Stephens, M. 1997. Latitudinal variations in benthic processes in the abyssal equatorial Pacific: control by biogenic particle flux. *Deep-sea Research Part II: Topical Studies in Oceanography*, 44(9-10), 2295-2317.
- Smith, C. R., Pope, R. H., DeMaster, D. J., & Magaard, L. 1993. Age-dependent mixing of deep-sea sediments. *Geochimica et Cosmochimica Acta*, 57(7), 1473-1488.
- Smith, C., 1999. The biological environment in the nodule provinces of the deep-sea. In: *Deep-Seabed Polymetallic Nodule Exploration: Development of Environmental*
- Smith, C.R. and Demopoulos, A.W., 2003. The deep Pacific ocean floor. *Ecosystems of the World*, pp.179-218.
- Smith, C.R., Levin, L.A., Koslow, A., Tyler, P.A. and Glover, A.G., 2008. The near future of the deep-seafloor ecosystems. *Aquatic ecosystems: trends and global prospects*, pp.334-352.

- Smith, Craig R., and Christophe Rabouille. 2002. 'What Controls the Mixed-Layer Depth in Deep-Sea Sediments? The Importance of POC Flux'. *Limnology and Oceanography* 47 (2): 418–26.
- Smith, Craig R., Robin H. Pope, David J. DeMaster, and Lorenz Maggaard. 1993. 'Age-Dependent Mixing of Deep-Sea Sediments'. *Geochimica et Cosmochimica Acta* 57 (7): 1473–88.
- Smith, Craig R., Will Berelson, David J. Demaster, Fred C. Dobbs, Doug Hammond, Daniel J. Hoover, Robert H. Pope, and Mark Stephens. 1997. 'Latitudinal Variations in Benthic Processes in the Abyssal Equatorial Pacific: Control by Biogenic Particle Flux'. *Deep-sea Research Part II: Topical Studies in Oceanography* 44 (9–10): 2295–2317.
- Smith, K.L., Ruhl, H.A., Bett, B.J., Billett, D.S.M., Lampitt, R.S. and Kaufmann, R.S., 2009. Climate, carbon cycling, and deep-ocean ecosystems. *Proceedings of the National Academy of Sciences*, 106(46), pp.19211-19218.
- Snelgrove, P.V.R. and Smith, C.R., (2002). A riot of species in an environmental calm: the paradox of the species-rich deep-sea. *Oceanogr. Mar. Biol. Annu. Rev.* 40, 311–342.
- Sokolova, Inna M., and Gisela Lannig. 2008. 'Interactive Effects of Metal Pollution and Temperature on Metabolism in Aquatic Ectotherms: Implications of Global Climate Change'. *Climate Research* 37 (2–3): 181–201.
- Sommer, S. A., Woudenberg, L. V., Lenz, P. H., Cepeda, G., Goetze, E. 2017. Vertical gradients in species richness and community composition across the twilight zone in the North Pacific Subtropical Gyre. *Molecular Ecology*, 26, 6136-6156.
- Spearman, J., Taylor, J., Crossouard, N., Cooper, A., Turnbull, M., Manning, A., & Murton, B. 2020. Measurement and modelling of deep-sea sediment plumes and implications for deep-sea mining. *Scientific reports*, 10(1), 1-14.
- Speziale, L., and Geneletti, D. (2014). Applying an ecosystem services approach to support land-use planning: a case study in Koboko district, Uganda. *Ecological Processes*, 3(1), 1-13.
- Standards Australia. 2009. AS/NZS ISO 31000-2009. Risk management: principles and guidelines. Prepared by Standards Australia Ltd. Sydney, NSW, Australia.
- Standards Australia. 2012. HB 203:2012 Managing environment-related risk. Prepared by Standards Australia Ltd. Sydney, NSW, Australia.
- Standards Australia. 2013. SA/SNZ HB 436:2013 (Guidelines to AS/NZS ISO 31000:2009). Risk management guidelines - Companion to AS/NZS ISO 31000:2009. Prepared by Standards Australia Ltd. Sydney, NSW, Australia.
- Stock, B.C. and Semmens, B.X., 2013. MixSIAR GUI user manual. Version 3.1.
- Stow, D. A. V., & Holbrook, J. A. 1984. North Atlantic contourites: an overview.
- Stoyanova, V., 2012. Megafaunal diversity associated with deep-sea nodule-bearing habitats in the eastern part of the Clarion-Clipperton zone, NE Pacific. *International Multidisciplinary Scientific GeoConference: SGEM*, 1, p.645.
- Stratmann, Tanja, Ilja Voorsmit, Andrey Gebbruk, Alastair Brown, Autun Purser, Yann Marcon, Andrew K. Sweetman, Daniel O. B. Jones, and Dick van Oevelen. 2018. 'Recovery of Holothuroidea Population

- Density, Community Composition, and Respiration Activity after a Deep-sea Disturbance Experiment'. *Limnology and Oceanography* 63 (5): 2140–53.
- Stratmann, Tanja, Lisa Mevenkamp, Andrew K. Sweetman, Ann Vanreusel, and Dick van Oevelen. 2018. 'Has Phytodetritus Processing by an Abyssal Soft-Sediment Community Recovered 26 Years after an Experimental Disturbance?' *Frontiers in Marine Science* 5 (February): 59.
- Sutton, T.T., Clark, M.R., Dunn, D.C., Halpin, P.N., Rogers, A.D., Guinotte, J., Bograd, S.J., Angel, M.V., Perez, J.A.A., Wishner, K. and Haedrich, R.L., 2017. A global biogeographic classification of the mesopelagic zone. *Deep-sea Research Part I: Oceanographic Research Papers*, 126, pp.85-102.
- Sutton, T. T. 2013. 'Vertical Ecology of the Pelagic Ocean: Classical Patterns and New Perspectives'. *Journal of Fish Biology* 83 (6): 1508–27.
- Sutton, T. T., Porteiro, F. M., Heino, M., Byrkjedal, I., Langhelle, G., Anderson, C. I. H. 2008. Vertical structure, biomass and topographic association of deep-pelagic fishes in relation to mid-ocean ridge systems. *Deep-Sea Research II*, 55, 161-184.
- Sweetman, A. K., & Witte, U. (2008a). Response of an abyssal macrofaunal community to a phytodetrital pulse. *Marine Ecology Progress Series*, 355, 73-84.
- Sweetman, A. K., & Witte, U. 2008b. Macrofaunal response to phytodetritus in a bathyal Norwegian fjord. *Deep-sea Research Part I: Oceanographic Research Papers*, 55(11), 1503-1514.
- Sweetman, A. K., Chelsky, A., Pitt, K. A., Andrade, H., van Oevelen, D., & Renaud, P. E. 2016. Jellyfish decomposition at the seafloor rapidly alters biogeochemical cycling and carbon flow through benthic food-webs. *Limnology and Oceanography*, 61(4), 1449-1461.
- Sweetman, A. K., Middelburg, J. J., Berle, A. M., Bernardino, A. F., Schander, C., Demopoulos, A. W. J., & Smith, C. R. 2010. Impacts of exotic mangrove forests and mangrove deforestation on carbon remineralization and ecosystem functioning in marine sediments. *Biogeosciences*, 7(7), 2129-2145.
- Sweetman, A. K., Norling, K., Gunderstad, C., Haugland, B. T., & Dale, T. 2014. Benthic ecosystem functioning beneath fish farms in different hydrodynamic environments. *Limnology and oceanography*, 59(4), 1139-1151.
- Sweetman, A. K., Smith, C. R., Shulse, C. N., Maillot, B., Lindh, M., Church, M. J., ... & Gooday, A. J. 2019. Key role of bacteria in the short-term cycling of carbon at the abyssal seafloor in a low particulate organic carbon flux region of the eastern Pacific Ocean. *Limnology and Oceanography*, 64(2), 694-713.
- Sweetman, A. K., Sommer, S., Pfannkuche, O., & Witte, U. 2009. Retarded response by macrofauna-size foraminifera to phytodetritus in a deep Norwegian fjord. *The Journal of Foraminiferal Research*, 39(1), 15-22.
- Sweetman, Andrew K., Andrew R. Thurber, Craig R. Smith, Lisa A. Levin, Camilo Mora, Chih-Lin Wei, Andrew J. Gooday, *et al.* 2017. 'Major Impacts of Climate Change on Deep-Sea Benthic Ecosystems'. Edited by Jody W. Deming and Laurenz Thomsen. *Elementa: Science of the Anthropocene* 5 (January): 4.
- Sweetman, Andrew K., Ariella Chelsky, Kylie A. Pitt, Hector Andrade, Dick van Oevelen, and Paul E. Renaud. 2016. 'Jellyfish Decomposition at the Seafloor Rapidly Alters Biogeochemical Cycling and Carbon Flow through Benthic Food-Webs'. *Limnology and Oceanography* 61 (4): 1449–61.
- Sweetman, Andrew K., Craig R. Smith, Christine N. Shulse, Brianne Maillot, Markus Lindh, Matthew J. Church, Kirstin S. Meyer, Dick Oevelen, Tanja Stratmann, and Andrew J. Gooday. 2019. 'Key Role of Bacteria

- in the Short-term Cycling of Carbon at the Abyssal Seafloor in a Low Particulate Organic Carbon Flux Region of the Eastern Pacific Ocean'. *Limnology and Oceanography* 64 (2): 694–713.
- Sweetman, Andrew K., Craig R. Smith, Trine Dale, and Daniel O. B. Jones. 2014. 'Rapid Scavenging of Jellyfish Carcasses Reveals the Importance of Gelatinous Material to Deep-Sea Food Webs'. *Proceedings of the Royal Society B: Biological Sciences* 281 (1796): 20142210.
- Sweetman, Andrew K., Karl Norling, Carina Gunderstad, Barbro T. Haugland, and Trine Dale. 2014. 'Benthic Ecosystem Functioning beneath Fish Farms in Different Hydrodynamic Environments'. *Limnology and Oceanography* 59 (4): 1139–51.
- Sweetman, Andrew, and Ursula Witte. 2008. 'Response of an Abyssal Macrofaunal Community to a Phytodetrital Pulse'. *Marine Ecology-Progress Series - MAR ECOL-PROGR SER* 355 (February): 73–84.
- Tennøy, A., Kværner, J., Gjerstad, K.I., 2006. Uncertainty in environmental impact assessment predictions: the need for better communication and more transparency. *Impact Assess. Proj. Apprais.* 24 (1), 45–56.
- Thiel, H., Schriever, G., Ahnert, A., Bluhm, H., Borowski, C. and Vopel, K., 2001. The large-scale environmental impact experiment DISCOL—reflection and foresight. *Deep-sea Research Part II: Topical Studies in Oceanography*, 48(17-18), pp.3869-3882.
- Thiel, H., G. Schriever, C. Bussau, and C. Borowski. 1993. 'Manganese Nodule Crevice Fauna'. *Deep-sea Research Part I: Oceanographic Research Papers* 40 (2): 419–23.
- Thurber, A. R., A. K. Sweetman, B. E. Narayanaswamy, D. O. B. Jones, J. Ingels, and R. L. Hansman. 2014. 'Ecosystem Function and Services Provided by the Deep-sea'. *Biogeosciences* 11 (14): 3941–63.
- Tilot, V. 2010. Biodiversity and distribution of the megafauna Vol. 3: Options for the management and conservation of the nodule ecosystem in the Clarion-Clipperton Fracture Zone: scientific, legal and institutional aspects. *Intergovernmental Oceanographic Commission Technical Series* 69, 67 pp
- Tilot, Virginie, Rupert Ormond, Juan Moreno Navas, and Teresa S. Catalá. 2018. 'The Benthic Megafaunal Assemblages of the CCZ (Eastern Pacific) and an Approach to Their Management in the Face of Threatened Anthropogenic Impacts'. *Frontiers in Marine Science* 5 (February): 7.
- TOML. 2015. NI 43-101 Technical Report. TOML Clarion Clipperton Zone Project, Pacific Ocean. Effective Date of Technical Report: March 30, 2016. Prepared for Nautilus Minerals Inc.
- Turner, J.S., Pretty, J.L., McDonnell, A.M.P., 2017. Marine particles in the Gulf of Alaska shelf system: Spatial patterns and size distributions from in situ optics. *Continental Shelf Research* 145, 13-20.
- Uhlenkott, Katja, Annemiek Vink, Thomas Kuhn, Benjamin Gillard, and Pedro Martínez Arbizu. 2020. 'Meiofauna in a Potential Deep-Sea Mining Area—Influence of Temporal and Spatial Variability on Small-Scale Abundance Models'. *Diversity* 13 (1): 3.
- Underwood A.J. 1996, *Environmental Design and Analysis in Marine Environmental Sampling*. IOC Manuals and Guides No. 34, UNESCO.
- United Nations Convention on the Law of the Sea., 1982. Article 256 UNCLOS/ Part XI Article 143 UCLOS, https://www.un.org/depts/los/convention_agreements/texts/unclos/UNCLOS-TOC.htm. Accessed on June 2020.

- United Nations., 2016. Agreement relating to the implementation of Part XI of the United Nations Convention on the Law of the Sea of 10 December 1982. Overview. Oceans and Law of the Seas. United Nations. https://www.un.org/Depts/los/convention_agreements/convention_overview_part_xi.htm Accessed 3 December 2020.
- Valencia, Bellineth, Michael R. Landry, Moira Décima, and Cecelia C. S. Hannides. 2016. 'Environmental Drivers of Mesozooplankton Biomass Variability in the North Pacific Subtropical Gyre'. *Journal of Geophysical Research: Biogeosciences* 121 (12): 3131–43.
- van Dover, C. L., Berg Jr, C. J., & Turner, R. D. 1988. Recruitment of marine invertebrates to hard substrates at deep-sea hydrothermal vents on the East Pacific Rise and Galapagos spreading center. *Deep-sea Research Part A. Oceanographic Research Papers*, 35(10-11), 1833-1849.
- van Wijk, J. M., & de Hoog, E. 2020. Size reduction of CCZ polymetallic nodules under repeated impact fragmentation. *Results in Engineering*, 7, 100154.
- Vanreusel, A., Hilario, A., Ribeiro, P.A., Menot, L. and Arbizu, P.M., 2016. Threatened by mining, polymetallic nodules are required to preserve abyssal epifauna. *Scientific reports*, 6, p.26808.
- Vithana, M.V.P., Xu, M., Zhao, X., Zhang, M. and Luo, Y., 2019. Geological and geophysical signatures of the East Pacific Rise 8–10 N. *Solid Earth Sciences*, 4(2), pp.66-83.
- Volz, J.B., 2019. *Impact of deep-sea mining on redox environment, biogeochemical processes and element fluxes within and from sediments of the Clarion-Clipperton Zone, Pacific Ocean* (Doctoral dissertation, Universität Bremen).
- Volz, J.B., Mogollón, J.M., Geibert, W., Arbizu, P.M., Koschinsky, A. and Kasten, S., 2018. Natural spatial variability of depositional conditions, biogeochemical processes and element fluxes in sediments of the eastern Clarion-Clipperton Zone, Pacific Ocean. *Deep-sea Research Part I: Oceanographic Research Papers*, 140, pp.159-172.
- Vonnahme, T. R., M. Molari, F. Janssen, F. Wenzhöfer, M. Haeckel, J. Titschack, and A. Boetius. 2020. 'Effects of a Deep-Sea Mining Experiment on Seafloor Microbial Communities and Functions after 26 Years'. *Science Advances* 6 (18): eaaz5922.
- Wakefield, W.W., Genin, A., 1987. The use of a Canadian (perspective) grid in deep-sea photography. *Deep-sea Research Part A. Oceanographic Research Papers*, 34, 469-478.
- Wang, Chun-Sheng, Li Liao, Hong-Xiang Xu, Xue-Wei Xu, Min Wu, and Li-Zhong Zhu. 2010. 'Bacterial Diversity in the Sediment from Polymetallic Nodule Fields of the Clarion-Clipperton Fracture Zone'. *The Journal of Microbiology* 48 (5): 573–85.
- Washburn, Travis W., Lenaick Menot, Paulo Bonifácio, Ellen Pape, Magdalena Błażewicz, Guadalupe Bribiesca-Contreras, Thomas G. Dahlgren, *et al.* 2021. 'Patterns of Macrofaunal Biodiversity Across the Clarion-Clipperton Zone: An Area Targeted for Seabed Mining'. *Frontiers in Marine Science* 8 (April): 626571.
- Wedding, L.M., Friedlander, A.M., Kittinger, J.N., Watling, L., Gaines, S.D., Bennett, M., Hardy, S.M. and Smith, C.R., 2013. From principles to practice: a spatial approach to systematic conservation planning in the deep-sea. *Proceedings of the Royal Society B: Biological Sciences*, 280(1773), p.20131684.
- Wei, C. L., Rowe, G. T., Hubbard, G. F., Scheltema, A. H., Wilson, G. D., Petrescu, I., & Wang, Y. 2010. Bathymetric zonation of deep-sea macrofauna in relation to export of surface phytoplankton production. *Marine Ecology Progress Series*, 399: 1-14.

- Wei, Chih-Lin, Gilbert T. Rowe, Elva Escobar-Briones, Antje Boetius, Thomas Soltwedel, M. Julian Caley, Yousria Soliman, *et al.* 2010. 'Global Patterns and Predictions of Seafloor Biomass Using Random Forests'. Edited by Tamara Natasha Romanuk. PLoS ONE 5 (12): e15323.
- Wenzhöfer, F, M Adler, O Kohls, C Hensen, B Strotmann, S Boehme, and H. D Schulz. 2001. 'Calcite Dissolution Driven by Benthic Mineralization in the Deep-Sea: In Situ Measurements of Ca²⁺, PH, PCO₂ and O₂'. *Geochimica et Cosmochimica Acta* 65 (16): 2677–90.
- Wegorzewski and Kuhn, 2014 The influence of suboxic diagenesis on the formation of manganese nodules in the Clarion Clipperton nodule belt of the Pacific Ocean *Mar. Geol.*, 357 (2014), pp. 123-138, 10.1016/j.margeo.2014.07.004
- Wiebe, P.H., Morton, A.W., Bradley, A.M., Backus, R.H., Craddock, J.E., Barber, V., Cowles, T.J., Flierl, G.R., 1985. New developments in the MOCNESS, an apparatus for sampling zooplankton and micronekton. *Marine Biology* 87 (3), 313-323.
- Wiklund, Helena, Lenka Neal, Adrian G. Glover, Regan Drennan, Muriel Rabone, and Thomas G. Dahlgren. 2019. 'Abyssal Fauna of Polymetallic Nodule Exploration Areas, Eastern Clarion-Clipperton Zone, Central Pacific Ocean: Annelida: Capitellidae, Opheliidae, Scalibregmatidae, and Traviidae'. *ZooKeys* 883 (October): 1–82.
- Wilber, D.H. and Clarke, D.G., 2001. Biological effects of suspended sediments: a review of suspended sediment impacts on fish and shellfish with relation to dredging activities in estuaries. *North American Journal of Fisheries Management*, 21(4), pp.855-875.
- Williams, A., Bax, N.J., Kloser, R.J., Althaus, F., Barker, B. and Keith, G. 2009. Australia's deep-water reserve network: implications of false homogeneity for classifying abiotic surrogates of biodiversity. *ICES Journal of Marine Science*, 66(1): 214-224.
- Wilson, George D. F. 2017. 'Macrofauna Abundance, Species Diversity and Turnover at Three Sites in the Clipperton-Clarion Fracture Zone'. *Marine Biodiversity* 47 (2): 323–47.
- Wishner, K. F. 1980. 'Aspects of the Community Ecology of Deep-Sea, Benthopelagic Plankton, with Special Attention to Gymnopleid Copepods'. *Marine Biology* 60 (2): 179–87.
- Wishner, K.F. 1980. 'The Biomass of the Deep-Sea Benthopelagic Plankton'. *Deep-sea Research Part A. Oceanographic Research Papers* 27 (3–4): 203–16.
- Wishner, Karen F., Dawn M. Outram, Brad A. Seibel, Kendra L. Daly, and Rebecca L. Williams. 2013. 'Zooplankton in the Eastern Tropical North Pacific: Boundary Effects of Oxygen Minimum Zone Expansion'. *Deep-sea Research Part I: Oceanographic Research Papers* 79 (September): 122–40.
- World Oceans Atlas., 2018. <https://www.nodc.noaa.gov/OC5/woa18/>. Accessed online November 2020.
- Yamaguchi, Atsushi, Yuji Watanabe, Hiroshi Ishida, Takashi Harimoto, Kazushi Furusawa, Shinya Suzuki, Joji Ishizaka, Tsutomu Ikeda, and Masayuki Mac Takahashi. 2002. 'Community and Trophic Structures of Pelagic Copepods down to Greater Depths in the Western Subarctic Pacific (WEST-COSMIC)'. *Deep-sea Research Part I: Oceanographic Research Papers* 49 (6): 1007–25.
- Young, J. W., Lansdell, M. J., Campbell, R. A., Cooper, S. P., Juanes, F. & Guest, M. A. 2010. Feeding ecology and niche segregation in oceanic top predators off eastern Australia. *Marine Biology*, 157, 2347-2368.
- Young, J. W., Hobday, A. J., Campbell, R. A., Kloser, R. J., Bonham, P. I., Clementson, L. A., *et al.* 2011. The biological oceanography of the East Australian Current and surrounding waters in relation to tuna and

billfish catches off eastern Australia. Deep-sea research. Part II, Topical studies in oceanography, 58, 720-733.

Young, R. E. 1978. 'Vertical Distribution And Photosensitive Vesicles Of Pelagic Cephalopods From Hawaiian Waters', 33.

Zeppilli, Daniela, Ann Vanreusel, and Roberto Danovaro. 2011. 'Cosmopolitanism and Biogeography of the Genus Manganonema (Nematoda: Monhysterida) in the Deep-sea'. *Animals* 1 (3): 291–305.

Zinssmeister, Carmen, Tanja Wilke, and Mona Hoppenrath. 2017. 'Species Diversity of Dinophysoid Dinoflagellates in the Clarion–Clipperton Fracture Zone, Eastern Pacific'. *Marine Biodiversity* 47 (2): 271–87.